

Mini Franklin Gas Stove

Model 208



CERTIFIED TO AMERICAN NATIONAL STANDARD Z21.88b-2001
AND APPLICABLE PORTIONS OF UL307b

OWNER'S MANUAL

INSTALLER: Leave this manual with the appliance . **CONSUMER:** Retain this manual for future reference

This appliance may be installed in an aftermarket permanently located, manufactured (mobile) home, where not prohibited by local codes.

This appliance is only for use with the type of gas indicated on the rating plate. This appliance is not convertible for use with other gases, unless a certified kit is used.

Tested &
Listed By



Beaverton
Oregon, USA

OMNI-Text Laboratories, Inc.
Report No: 122-S-07-5

WARNING: If the information in these instructions is not followed exactly, a fire or explosion may result causing property damage, personal injury or loss of life.

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- **WHAT TO DO IF YOU SMELL GAS**
 - Do not try to light any appliance.
 - Do not touch any electrical switch; do not use any phone in your building.
 - Immediately call your gas supplier from a neighbor's phone. Follow the gas supplier's instructions.
 - If you cannot reach your gas supplier, call the fire department.
- Installation and service must be performed by a qualified installer, service agency or the gas supplier.



66 Airpark Road, West Lebanon, NH 03784
email: info@gasstove.com

Tel: 800-866-4344
Fax: 603-298-5958

The installation of the Mini Franklin Gas Stove must conform with local codes, or in the absence of local codes, with the National Fuel Gas Code, ANSI Z233.1.

The Mini Franklin Gas Stove must be vented with approved “direct-vent” pipe. Direct-Vent pipe has two concentric passageways which draw outside air in for combustion, and let exhaust gasses out.

Installation or replacement of gas piping, the gas stove, and repair or servicing of equipment shall be performed only by a qualified agency. The term “qualified agency” means any individual, firm, corporation, or company that either in person or through a representative is engaged in and is responsible for (a) installation or replacement of gas piping or (b) the connection, installation, repair or servicing of gas utilization equipment, who is experienced in such work, familiar with all precautions required, and has complied with all the requirements of the authority having jurisdiction.

Installation and repair should be done by a qualified service person. The appliance should be inspected before use and at least annually by a professional service person. More frequent cleaning may be required due to excessive lint from carpeting, bedding material, et cetera. It is imperative that control compartments, burners and circulating air passageways of the appliance be kept clean.

The Mini Franklin Gas Stove and its main gas supply valve must be disconnected from the gas supply piping system during any pressure testing of that system at test pressures in excess of 1/2 psi (3.5 kPa).

The Mini Franklin Gas Stove must be isolated from the gas supply piping system by closing its equipment shutoff valve during any pressure testing of the gas supply piping system at test pressures equal to or less than 1/2 psi (3.5 kPa).

An inlet pressure test point is provided on the gas control valve, immediately upstream of the gas supply connection to the Fireplace. An outlet pressure test point is also provided.

The Mini Franklin Gas Stove, when installed in a mobile home, must be electrically grounded in accordance with local codes or, in the absence of local codes, with the *National Electrical Code, ANSI/NFPA 70*.

SAFETY PRECAUTIONS

- ❑ **This appliance is only for use with the type of gas indicated on the rating plate. This appliance may not be converted to use with other gasses unless a certified kit is used.**
 - ❑ **This appliance is designed to burn either natural gas or propane. Do not attempt to burn wood, trash, or any other material in this appliance.**
 - ❑ **This appliance may not be connected to a chimney serving a separate solid fuel-burning appliance.**
-
- ❑ **Due to high temperatures, the appliance should be located out of traffic and away from furniture and draperies.**
 - ❑ **Children and adults should be alerted to the hazards of high surface temperature and should stay away to avoid burns or clothing ignition.**
 - ❑ **Young children should be carefully supervised when they are in the same room as the appliance.**
 - ❑ **Clothing or other flammable material should not be placed on or near the appliance.**
 - ❑ **The appliance area must be kept clear and free from combustible materials, gasoline, and other flammable vapors and liquids.**
 - ❑ **WARNING: Do not operate appliance with the glass front removed, cracked or broken. Replacement of the glass should be done by a licensed or qualified service person.**
 - ❑ **The flow of combustion and ventilation air must not be obstructed.**
-
- ❑ **Any safety screen or guard removed for servicing an appliance should be replaced prior to operating the appliance.**
 - ❑ **Do not use this appliance if any part has been under water. Immediately call a qualified service technician to inspect the appliance and to replace any part of the control system and gas control which has been under water.**
 - ❑ **CAUTION: Label all wires prior to disconnection when servicing controls. Wiring errors can cause improper and dangerous operation.**
 - ❑ **Verify proper operation after servicing.**

12. TESTING CHECK LIST AND WARRANTY REGISTRATION

First, thank you from all of us at Woodstock Soapstone Co. for installing this Franklin Fireplace for one of our customers. If you have any questions about installation, please call us at 800-866-4344. Technical Support will be available from 9:00AM to 5:00PM

Eastern Time, Monday through Saturday. At any other time, you may leave a message with our answering service with your phone number and the best time to call, and we will return your call during the next business day.

WARRANTY REGISTRATION

Owner Name: _____ Telephone: _____
 Address: _____

 Installer Name: _____
 Company _____ Telephone: _____
 Address: _____

 Stove Model: _____
 Serial #: _____ LPG _____ NG _____
 Purchase Date: _____ Installation Date: _____

TESTING CHECK LIST

	Installer	Owner		Installer	Owner
1. Check all gas connections, use soapy water or mechanical sniffer to check for leaks:			5. Flame:		
a. Control valve connection	_____	_____	a. Fifteen minutes after ignition, flames should have a blue/yellow appearance and with the flame control set on HIGH, the flames should be about 2" to 6" high.		
b. Main gas line valve	_____	_____	(1). If the flames are totally blue, reduce the amount of air by adjusting the burner air shutter.		
c. (other?)	_____	_____	(2). Orange-smoky flames: increase the amount of air to the burner by opening the burner air shutter.		
2. Glass front:			b. After up to one hour's burn, there should be no sign of soot.		
a. No damage to glass	_____	_____	If during that test burn the flame lengthens and becomes smoky, is more orange-yellow than yellow, or there is some collected soot after an hour, do the following:		
b. All latches functioning properly	_____	_____	(1). Check that the log set is securely in place. If the logset is not exactly in the right place, the flame impingement will be wrong.		
c. Glass securely in place in frame	_____	_____	(2). If log set is properly placed, adjust burner air shutter setting.		
d. Gasket even, snug against firebox	_____	_____			
3. Safety controls:					
a. Pilot failure shuts off main valve	_____	_____			
b. Pressure relief lid on the back of the firebox is properly seated, and not open.	_____	_____			
4. Operate all valves and controls:	_____	_____			
a. Main supply line valve	_____	_____			
b. Pilot control valve	_____	_____			
c. Ignitor	_____	_____			
d. Main burner	_____	_____			
e. Flame HI-LO	_____	_____			
f. Remote Thermostat	_____	_____			

This installation has been performed safely and to our satisfaction, signed:

 Installer, Date

 Owner, Date

***Please fold so that our return address shows. Tape the edges together and mail.
 No postage is necessary.***

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 21 W. LEBANON, NH

POSTAGE WILL BE PAID BY ADDRESSEE

Woodstock Soapstone Co., Inc.

AIRPORT BUSINESS PARK
66 AIRPARK ROAD
WEST LEBANON NH 03784-9984



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

