

FVKPBPKIT: Fireview 205 Bypass Gasket Kit

Rev. Date 7/26/2021

Parts Needed:

- (3') ½" Graphite rope gasket
- (1) Bottle gasket glue




Tools Needed:

- 1/2" Wrench or socket
- Putty knife
- Scissors
- WD-40, Kroil, PB Blaster, or similar penetrating liquid

1. Make sure the stove is cool. You will need 3' of .500" graphite gasket and gasket glue.
2. Open and remove the top lid of the stove. It will also be helpful to remove the catalytic combustor.




3. Use a ½" wrench or socket to remove the bolts that secure the bypass lift guide to the top of the W-253 bypass cover. Spray with penetrating liquid if necessary.



Woodstock
Soapstone
Company, Inc.

4. Move the bypass lift guide to the side and open the bypass cover as wide as possible to access the gasket beneath it.




5. With the bypass cover fully open, use a putty knife or flat-head screwdriver to remove the old gasket from the bypass frame. Use a wire brush and vacuum to remove any residual gasket and glue from the gasket channel.

6. Apply a 3/16" bead of gasket glue into the gasket channel. Start gasket in a corner, pushing both back and down on the gasket. This will cause the gasket to bunch on itself. Trim any excess gasket.



7. Close the bypass cover and reattach the bypass lift guide. With the bypass in the closed position, let the gasket glue set for 15-20 minutes.
8. It may be necessary to adjust the tension on the bypass cover. Slide a small piece of paper under the bypass cover, close it, and pull the paper out. The bypass actuator should be fully engaged, pointing up, and there should be resistance on the paper.
- To increase pressure on the bypass cover, loosen the top nut counter clockwise on the U-bolt, turn the bottom nut counter clockwise.
 - To decrease pressure on the bypass cover, turn the bottom nut clockwise, the same to the top nut. Make small adjustments until the proper seal is reached.



9. Return combustor and top lid to the stove.

We need your help! Woodstock Soapstone Co. takes great pride in providing the highest quality products as well as the best customer service in our industry. We welcome your suggestions and input to help us achieve these goals. If you have any comments to improve our products, service, and information provided in these instructions please contact us at (800) 866-4344 or info@woodstove.com. Thank you.