

OWNER'S MANUAL

Model 208



CERTIFIED TO AMERICAN NATIONAL
STANDARD Z21.88-2017
AND APPLICABLE PORTIONS OF UL307b



DANGER!



**HOT GLASS WILL
CAUSE BURNS.**

**DO NOT TOUCH GLASS
UNTIL COOLED.**

**NEVER ALLOW CHILDREN
TO TOUCH GLASS.**

A barrier designed to reduce the risk of burns from the hot viewing glass is provided with this appliance and shall be installed for the protection of children and other at-risk individuals.

This appliance may be installed in an aftermarket, permanently located, manufactured home (USA only) or mobile home, where not prohibited by local codes.

This appliance is only for use with the type of gas indicated on the rating plate. This appliance is not convertible for use with other gases, unless a certified kit is used.

INSTALLER: Leave this manual with the appliance.

CONSUMER: Retain this manual for future reference.

TESTED AND LISTED BY



WARNING!:

FIRE OR EXPLOSION HAZARD

Failure to follow safety warnings exactly could result in serious injury, death, or property damage

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- WHAT TO DO IF YOU SMELL GAS
 - Do not try to light any appliance.
 - Do not touch any electrical switch; do not use any phone in your building.
 - Immediately call your gas supplier from a neighbor's phone. Follow the gas supplier's instructions.
 - If you cannot reach your gas supplier, call the fire department.
- Installation and service must be performed by a qualified installer, service agency or the gas supplier.



66 Airpark Road, West Lebanon, NH 03784
email: info@woodstove.com

Tel: 800-866-4344
Fax: 603-298-5958

NOTICE! The installation of the Mini Franklin Gas Stove must conform with local codes, or in the absence of local codes, with the National Fuel Gas Code, ANSI Z233.1/NFPA 54.

The Mini Franklin Gas Stove must be vented with approved “direct-vent” pipe. Direct-Vent pipe has two concentric passageways which draw outside air in for combustion, and let exhaust gasses out.

Installation or replacement of gas piping, the gas stove, and repair or servicing of equipment shall be performed only by a qualified agency. The term “qualified agency” means any individual, firm, corporation, or company that either in person or through a representative is engaged in and is responsible for (a) installation or replacement of gas piping or (b) the connection, installation, repair or servicing of gas utilization equipment, who is experienced in such work, familiar with all precautions required, and has complied with all the requirements of the authority having jurisdiction.

Installation and repair should be done by a qualified service person. The appliance should be inspected before use and at least annually by a professional service person. More frequent cleaning may be required due to excessive lint from carpeting, bedding material, et cetera. It is imperative that control compartments, burners and circulating air passageways of the appliance be kept clean.

The Mini Franklin Gas Stove and its main gas supply valve must be disconnected from the gas supply piping system during any pressure testing of that system at test pressures in excess of 1/2 psi (3.5 kPa).

The Mini Franklin Gas Stove must be isolated from the gas supply piping system by closing its equipment shutoff valve during any pressure testing of the gas supply piping system at test pressures equal to or less than 1/2 psi (3.5 kPa).

An inlet pressure test point is provided on the gas control valve, immediately upstream of the gas supply connection to the Fireplace. An outlet pressure test point is also provided.

The Mini Franklin Gas Stove, when installed in a mobile home, must be electrically grounded in accordance with local codes or, in the absence of local codes, with the *National Electrical Code, ANSI/NFPA 70*.

A barrier designed to reduce the risk of burns from the hot viewing glass is provided with this appliance and shall be installed for the protection of children and other individuals at risk.

SAFETY PRECAUTIONS

- ◆ **This appliance is only for use with the type of gas indicated on the rating plate. This appliance may not be converted to use with other gasses unless a certified kit is used.**
- ◆ **This appliance is designed to burn either natural gas or propane. Do not attempt to burn wood, trash, or any other material in this appliance.**
- ◆ **This appliance may not be connected to a chimney serving a separate solid fuel-burning appliance.**

-
- ◆ **Due to high temperatures, the appliance should be located out of traffic and away from furniture and draperies.**
 - ◆ **Children and adults should be alerted to the hazards of high surface temperature and should stay away to avoid burns or clothing ignition.**
 - ◆ **Young children should be carefully supervised when they are in the same room as the appliance. Toddlers, young children, and others may be susceptible to accidental contact burns. A physical barrier is recommended if there are at-risk individuals in the house. To restrict access to a fireplace or stove, install an adjustable safety gate to keep toddlers, young children, and other at-risk individuals out of the room and away from hot surfaces.**
 - ◆ **Clothing or other flammable material should not be placed on or near the appliance.**
 - ◆ **The appliance area must be kept clear and free from combustible materials, gasoline, and other flammable vapors and liquids.**
 - ◆ **WARNING! Do not operate appliance with the glass front removed, cracked or broken. Replacement of the glass should be done by a licensed or qualified service person.**
 - ◆ **The flow of combustion and ventilation air must not be obstructed.**

-
- ◆ **Any safety screen or guard removed for servicing an appliance should be replaced prior to operating the appliance.**
 - ◆ **Do not use this appliance if any part has been under water. Immediately call a qualified service technician to inspect the appliance and to replace any part of the control system and gas control which has been under water.**
 - ◆ **CAUTION! Label all wires prior to disconnection when servicing controls. Wiring errors can cause improper and dangerous operation.**
 - ◆ **Verify proper operation after servicing.**

! SAFETY ALERT INDEX

- **DANGER! INDICATES A HAZARDOUS SITUATION WHICH, IF NOT AVOIDED WILL RESULT IN DEATH OR SERIOUS INJURY.**
- **WARNING! INDICATES A HAZARDOUS SITUATION WHICH, IF NOT AVOIDED COULD RESULT IN DEATH OR SERIOUS INJURY.**
- **CAUTION! INDICATES A HAZARDOUS SITUATION WHICH, IF NOT AVOIDED, COULD RESULT IN MINOR OR MODERATE INJURY.**
- **NOTICE: USED TO ADDRESS PRACTICES NOT RELATED TO PERSONAL INJURY.**

TO THE INSTALLING TECHNICIAN:

First, thank you from all of us at Woodstock Soapstone Co. for installing this Franklin Fireplace for one of our customers. If you have any questions about installation, please call us at 800-866-4344. Technical Support will be available Monday-Friday from 9:00 AM to 5:00 PM (ET), and Saturday 9:00 AM to 12:00 PM (ET). At any other time, you may leave a message with our answering service with your phone number and the best time to call, and we will return your call during the next business day.

Please also take the time to go through the Warranty Checklist with the owner. This will validate the warranty, assure us and the owner that the installation was performed to local and national codes, and help familiarize the owner with the safe operation of this gas Fireplace.

Installation must conform to these instructions and local codes or, in the absence of local codes, with the current National Fuel Gas Code ANSI Z233.1.

We at Woodstock Soapstone Company are proud to manufacture top quality hearth products. When you install this Fireplace, we ask that you maintain our tradition of conscientious effort to make our customers happy with our product and service.

**QUESTIONS:
1-800-866-4344
Monday – Friday
9:00 AM to 5:00 PM (ET)
Saturday
9:00 AM to 12:00 PM (ET)**

WARNING: This unit must be installed by a qualified gas technician in accordance with local codes or in the absence of local codes, with the most current edition of the National Fuel Gas Code ANSI Z223.1/NFPA 54.

TABLE OF CONTENTS

Section	Page	Section	Page
1) Code Approvals.....	2	13) Troubleshooting - Installer only.....	16
2) Specifications	2	14) Operating your Gas Fireplace.....	17
3) Tools Needed to Install the Fireplace.....	3	15) Lighting Instructions	18
4) Approved Venting/Chimney Materials	3	16) Safety Instructions	21
5) Approved Clearances for Inside Locations.....	4	17) Remote Control	22
6) Approved Venting/Chimney Configurations	6	18) Lighting the Fire for Remote Control Owners.....	24
7) Approved Venting/Chimney Terminal Clearances .10		19) Routine Maintenance	25
8) Assembling the Mini Franklin Gas Fireplace.....	11	20) Annual Inspection	27
9) Pre-Installation Inspection Checklist	12	21) Troubleshooting - Owner	28
10) Connecting the Gas Supply/Testing the Flame.....	12	22) Warranty	30
11) Air Shutter Adjustment / Screen Barrier.....	13-14	Appendix A - Parts List.....	31
12) Testing Check List and Warranty Registration..... (insert)		Appendix B - Remote Control Installation	33