

## Absolute Steel Door Gasket

Please read all the instructions before you begin the procedure. Confirm that you have all the necessary tools and materials. If you have any questions, technical support is available toll free at 1-800-866-4344, Monday-Saturday 9:00 – 5:00 ET

### **Tools Needed:**

- putty knife
- wire brush
- shop vac
- scissors


### **Materials Needed:**

- 4.5' of 7/8" (0.875) diameter gasket (you will trim to fit)
- gasket glue

Open the bypass by lifting the lever counter-clockwise.



Open the loading door. Get a firm grip on the door (it's HEAVY) then remove the hinge pins to release the door (you may need to wiggle the hinge pins to pull them out). Place the door flat on a bench so you can work on it.



Use a putty knife to pry out one end of the old gasket then pull on it to remove completely.



Use a putty knife (or wire brush) and a shop vac to clean out any residue of old gasket and dried glue.



Squeeze a bead of glue (about 1/8") all around the gasket channel. Starting at the center of the bottom, lay out the gasket all around the door. Start inserting the gasket into the channel (be careful not to stretch it, particularly in the corners) and tuck in the edges with a putty knife.



When you get back to the center of the bottom, trim the gasket with scissors so the ends just butt together.



Leave the door in this position for about 45-60 minutes to allow the glue to set up, then reattach the door to the stove. Close and latch the door onto a strip of paper (or dollar bill). You should feel resistance when you try to pull out the paper (it should curl slightly). Test this in 2 places on each edge of the door.



**We welcome your feedback!** Woodstock Soapstone Co. takes pride in providing the highest quality products as well as the best customer service in our industry. We welcome your suggestions and input to help us achieve these goals. If you have any comments to improve our products, service, and information provided in these instructions please contact us at (800) 866-4344 or [info@woodstove.com](mailto:info@woodstove.com). Thank you.

Revised 4/30/19