


# PROGRESS HYBRID

## MODEL 209a



---

---

# WOODSTOCK SOAPSTONE STOVES

## OWNER'S MANUAL

Tested To UL 1482-2011 7th Edition  
Listed By PFS Corporation

Tested and Listed by



Woodstock Soapstone Company, Inc.  
66 Airpark Road, West Lebanon, NH 03784  
Toll Free 1-800-866-4344 • [www.woodstove.com](http://www.woodstove.com)

Rev 0820

## OUR PROMISE

We are sure you will enjoy your new stove. During the first six months that you own it, test its performance and experience the comfortable warmth of soapstone. If you are not thoroughly delighted with the beauty, quality, and energy efficiency of your stove, you may return it for a full refund, including the cost of return freight. This is the best consumer protection plan in the industry.

## EPA APPROVAL

This Manual describes the installation and operation of: the **Model 209a Progress Hybrid Catalytic Soapstone Stove**

**Model 209a Progress Hybrid Catalytic Soapstone Stove** meets the U.S.

Environmental Protection Agency's emission limits for wood heaters sold after May 15, 2020. When tested with cord wood, this stove has been shown to deliver heat at rates ranging from 13,149 to 47,220 BTU/hr., and average emissions of 0.63 grams/hr.

The Progress Hybrid contains a catalytic combustor, which needs periodic inspection and replacement for proper operation. It is against the law to operate this woodstove in a manner inconsistent with the operating instructions in this manual, or if the catalytic element is deactivated or removed.

This wood heater has a manufacturer-set minimum low burn rate that must not be altered. It is against federal regulations to alter this setting or otherwise operate this wood heater in a manner inconsistent with operating instructions in this manual.

## LISTING TO UL #1482

Tested and Listed by



**Model 209a Progress Hybrid Catalytic Soapstone Stove** has been tested to UL

Standard #1482 7th edition 2011 for safety, and listed by PFS Corporation. UL Standard #1482 is the standard for testing solid fuel heating appliances which is universally recognized by all national building regulatory agencies (SBCC, BOCA, ICBO) and individual states.

**Please Note:** Tested and Listed for US installations only

## LIMITED WARRANTY

Your Woodstock Soapstone Stove will be carefully inspected before shipment. We will replace any part which is defective in material or workmanship, free of cost, for a period one year from the date of purchase. If a defect is discovered, please contact Woodstock Soapstone Company, Inc. for instructions regarding return or replacement of the defective part.

## CATALYTIC COMBUSTOR WARRANTY

The catalytic combustor in your Progress Hybrid Woodstove is fully warranted for three years from the date of purchase against any defect in workmanship or materials that prevent the combustor from functioning when installed and operated properly. The catalytic combustor is additionally warranted for three years from the date of purchase for any deterioration in the stainless steel substrate material. For instructions regarding return or replacement of the catalytic combustor, please contact:

Woodstock Soapstone Company, Inc.  
66 Airpark Road  
West Lebanon, NH 03768  
Phone: 1-800-866-4344 • Web: [www.woodstove.com](http://www.woodstove.com)

# MODEL 209a

## PROGRESS HYBRID CATALYTIC

### TABLE OF CONTENTS

WARRANTY INFORMATION / CERTIFICATIONS.....	Inside Cover
EPA Certification, UL Listing, Warranty, Catalytic Combustor Warranty	
INTRODUCTION	
Progress Hybrid Wood Stove Explained	
INSTALLATION.....	1-14
Installation, Location, Chimneys, Fireplace Installation Clearance Table, Wall Protection, Floor Protection	
OPERATION.....	15-19
Setting up Your Stove, Seasoning Your Stove, Starting a Fire and Establishing Draft, Engaging the Catalytic Combustor, Re-loading & Overnight Burning, Ash Removal, Surface Thermometer, Overfiring, Daily Use, The Fall-Away Handle, Firewood	
CATALYTIC COMBUSTOR.....	20-23
How your Combustor Works, Inspection & Cleaning, Replacement, Catalytic Probe Thermometer, Frequently Asked Questions, Catalytic Combustor Warranty Information	
MAINTENANCE.....	24-26
Stove, Stone & Glass Cleaning, Gasket Replacement, Routine Checks, End-Of-Season Maintenance, Creosote	
TROUBLESHOOTING.....	27-28
SAFETY.....	29-30
Overview, Installation, Smoke & The Chimney, Heat, Ash Removal, Precautions, Emergency Procedures	
PARTS LIST & DIAGRAMS.....	31-34
SPECIFICATIONS.....	Back Cover

# DIMENSIONS & SPECIFICATIONS

H x W x D (10" Standard Legs)..... 33.5"x30.5"x25"  
 HxWxD (5" Short Legs)..... 28.5"x30.5"x25"  
*Ash pan unavailable with short legs*  
 EPA 2020 Certified..... Yes  
 Listed to UL 1482..... Yes  
 Flue Exit..... Top or Back  
 EPA Cordwood Emissions Rating ... 0.63 grams/hr  
 Flue Size..... 6"  
 EPA HHV Efficiency ..... 78.5%  
 EPA LHV Efficiency ..... 84.4%  
 Flue Height to Center (Standard Legs)..... 27.75"  
 Catalytic Combustor & Secondary Air .... Standard  
 Flue Height to Center (Short Legs)..... 22.75"  
 Bottom Heat Shield..... Standard

Weight..... 700 lbs.  
 Ash Pan..... Optional  
 Loading Door..... Right or Left  
 Back Clearance (no protection)..... 36"  
 Loading Door Size (HxW)..... 11"x9"  
 Back Clearance (w/Heat Shield Kit)..... 7"  
 Draft Control..... Manual  
 Side Clearance..... 24"  
 Wood Length (Maximum)..... 22"  
 Firebox Size..... 2.8 Cubic ft.  
 Viewing Window (HxW)..... 12.25" x 16"  
 Burn Time..... 8-16 hrs.  
 Heat Output Range..... 13,149-47,220 BTU/hr  
 Area Heated..... 1,600-2,200 sq. ft.

